



Table of Contents

Stainless Steel Sheet	4-6
Stainless Plate.	7
Stainless Coil	8-9
Aluminium Sheet & Plate	10
Angle.	11
Round Bar	12
Flat Bar	13-14
Square Bar	15
Pipe.	16-17
Buttweld Pipe Fittings	18
BSP Fittings.	19-20
Valves	21
Flanges	22
Square Tube	23
Rectangular Tube	24
Welded Round Tube.	25-26
Seamless Round Tube	27
Hypo Tube	28
Tube Fittings.	29
Tube Reducers.	30
BSM Fittings	31
Triclover Fittings.	32
Expansion Flanges	33
Base Plate & Cover Sets.	33
Adjustable Feet & Inserts.	34
Tube & Pipe Clamps.	34
Discs & Circles.	35
Caps	36
Handrail Fittings.	37-38



Company profile

Australian Stainless Distributors Pty Ltd is a company specialising in the supply and distribution of Stainless Steel products.

Our comprehensive stock range consists of Stainless Steel Sheet, Plate and Coil, Tube products which include Round, Square and Rectangular, Welded and Seamless Pipe together with a full range of associated fittings.

Our bar range consists of Flat, Round, Square and Angle.

We also stock a range of Aluminium sheet (5005, 5052), Plate (5005, 5052, 5083) and Treadplate.

Australian Stainless Distributors Pty Ltd is committed to offering a complete "Hassle Free" service supported by almost 50 years experience in the Stainless Steel Industry. Together with our extensive product knowledge we aim to offer fast, accurate and reliable service ensuring our products are supplied to the highest standards at very competitive prices.



Australian Stainless Distributors Pty Ltd is dedicated to and proud of its corporate motto

"EXCEEDING CUSTOMERS EXPECTATIONS"

Please contact our office to obtain a quote or further information.

Australian Stainless Distributors Pty Ltd is proud of our reputation for supplying outstanding mechanically polished stainless steel products.

Our range of bar and tube polishers have the capacity to polish stainless steel products up to 300mm wide, with a range of finishes from 320 grit all the way to a superb true 1,000 grit. We polish round, rectangular and square tube, as well as angle, flat bar and square bar.



Our in-house 'supply and polish' service allows you to obtain your perfect finished product in one location, however we also 'polish only' orders if you source your material elsewhere.



Stainless Steel Sheet Type 304

Specifications: ASTM A240/480



SIZE	2B	2BPE	N4LFPE	BAPE
3.0 x 1219 x 1829		X		
1219 x 2438	X	X	X	
1219 x 3048		X	X	
1219 x 3658		X	X	
1500 x 2438		X		
1500 x 3000		X	X	
1500 x 3658		X		
2.5 x 1219 x 2438		X	X	
1219 x 3048		X	X	
1500 x 3000		X	X	
2.0 x 1219 x 1829		X	X	
1219 x 2438	X	X	X	
1219 x 3048		X	X	
1219 x 3658		X	X	
1500 x 2438		X		
1500 x 3000		X	X	
1500 x 3658		X		
1.5 x 914 x 1829			X	
914 x 2438			X	
914 x 3048			X	
914 x 3658			X	
914 x 5000			X	
1219 x 1829			X	
1219 x 2438	X	X	X	X
1219 x 3048		X	X	
1219 x 3658			X	
1219 x 4000			X	
1219 x 5000			X	
1500 x 2438			X	
1500 x 3000		X	X	
1500 x 3658			X	

SIZE	2B	2BPE	N4LFPE	BAPE
1.2 x 914 x 1829			X	
914 x 2438			X	
914 x 3048			X	
914 x 3658			X	
914 x 4000			X	
914 x 5000			X	
1219 x 1829			X	
1219 x 2438	X	X	X	
1219 x 3048		X	X	
1219 x 3658			X	
1219 x 4000			X	
1219 x 5000			X	
1500 x 2438			X	
1500 x 3000	X	X	X	
1500 x 3658			X	
0.9 / 1.0 x 1500 x 2438			X	
1500 x 3000			X	
1500 x 3658			X	
0.9 x 914 x 1829			X	
914 x 2438			X	
914 x 3048			X	
914 x 3658			X	
1219 x 1829			X	
1219 x 2438	X	X	X	X
1219 x 3048		X	X	
1219 x 3658			X	
0.7 x 914 x 1829			X	
1219 x 2438	X	X	X	X
1219 x 3048			X	
1219 x 3658			X	
0.55 x 914 x 2438	X			
1219 x 2438	X		X	

Stainless Steel Sheet Type 316

Specifications: ASTM A240/480

SIZE	2BPE	N4LFPE
3.0 x 1219 x 2438	X	X
1500 x 3048	X	X
2.5 x 1219 x 2438	X	X
1500 x 3048	X	
2.0 x 1219 x 2438	X	X
1219 x 3048	X	X
1500 x 3048	X	X
1.5 x 1219 x 2438	X	X
1219 x 3048		X
1219 x 3658		X
1500 x 3048	X	X
1500 x 3600		X
1.2 x 1219 x 2438	X	X
1219 x 3048		X
1219 x 3658		X
1219 x 5000		X
1500 x 3048		X
1500 x 3658		X
0.9 x 1219 x 2438	X	X
0.7 x 1219 x 2438	X	X
0.55 x 1219 x 2438	X	

** Coil can be cut to your non-standard lengths with minimum delay



Stainless Steel Sheet Type 430

Specifications: ASTM A240/480

SIZE	BAPE	N4LFPE
1.2 x 1219 x 2438	X	X
0.9 x 914 x 2438		X
0.9 x 1219 x 2438	X	X
0.7 x 914 x 2438		X
914 x 3048		X
914 x 3658		X
1219 x 1829		X
1219 x 2438	X	X
1219 x 3048		X
1219 x 3658		X





Stainless Steel Sheet Type 304 & 316 N8

Specifications: ASTM A240/480

SIZE	N8PE
3.0 x 1219 x 2438	X
2.0 x 1219 x 2438	X
1219 x 3048	X
1219 x 3658	X
1.5 x 1219 x 2438	X
1219 x 3048	X
1219 x 3658	X
1.2 x 1219 x 2438	X
1219 x 3048	X
1219 x 3658	X
1.0 x 1219 x 2438	X
1219 x 3048	X
1219 x 3658	X
0.8 x 1219 x 2438	X
1219 x 3048	X
1219 x 3658	X



WE NOW STOCK 5mm 316N8 PLATE



Stainless Steel Cold Rolled Plate 2BFLPE

Specifications: ASTM A240/480

SIZE	304	316L
4 x 1219 x 2438	X	X
1500 x 3000	X	X
5 x 1219 x 2438	X	X
1500 x 3000	X	X
6 x 1219 x 2438	X	X
1500 x 3000	X	X



Stainless Steel Hot Rolled Plate NI

Specifications: ASTM A240/480

SIZE	304	316L
8 x 1219 x 2438	X	X
1500 x 3000	X	X
10 x 1219 x 2438	X	X
1500 x 3000	X	X
12 x 1219 x 2438	X	X
1500 x 3000	X	X
16 x 1500 x 3000	X	X
20 x 1500 x 3000	X	X
25 x 1500 x 3000	X	X



Stainless Steel Coil Type 304

Specifications: ASTM A240/480

XX Stocked

X Available Ex Processing



SIZE	2B	2BPE	N4LFPE
3.0 x 1219	X	X	X
1500	X	X	X
2.5 x 1219	X	X	X
1500	X	X	X
2.0 x 1219	X	X	X
1500	X	X	X
1.5 x 914	X	X	XX
1000	X	X	X
1219	X	X	XX
1500	X	X	XX

SIZE	2B	2BPE	N4LFPE
1.2 x 750	X	X	XX
914	X	X	XX
1050	X	X	XX
1219	X	X	XX
1500	X	X	XX
0.9 x 914	X	X	XX
1219	X	X	XX
0.7 x 914	X	X	XX
1219	X	X	XX
0.55 x 914	XX	X	X
1219	XX	X	X

Stainless Steel Coil Type 316

Specifications: ASTM A240/480

XX Stocked

X Available Ex Processing



SIZE	2B	N4LFPE
3.0 x 1219	X	X
1500	X	X
2.5 x 1219	X	X
1500	X	X
2.0 x 1219	X	X
1500	X	X
1.5 x 1219	X	X
1500	X	X
1.2 x 1219	X	X
1500	X	X
0.9 x 1219	X	X
0.7 x 1219	X	X
0.55 x 1219	X	X



Stainless Steel Coil Type 430

Specifications: ASTM A240/480

XX Stocked

X Available Ex Processing



SIZE	BAPE	N4LFPE
1.2 X 1219	X	X
0.9 X 914	X	XX
1000		XX
1219	X	XX
0.7 X 914	X	XX
1219	X	XX

Aluminium: Sheet, Plate Treadplate & Propellor Plate



SIZE – mm	5005H34 Mill Finish	5005H34 50 Micron PE	5052H32 Mill Finish	5052H32 50 Micron PE	Tread Plate 5 Bar 5052H114	Prop Plate 3003H22	5083H116 DMV Cert MF
0.5x900x1800	x						
1.0x1200x2400	x	x					
1.2x1200x2400	x	x					
1.6x1200x2400	x	x		x	x	x	
1.6x1200x3000	x						
1.6x1200x3600	x						
1.6x1520x2400						x	
2.0x1200x1800	x						
2.0x1200x2400	x	x	x	x	x		
2.0x1200x3000	x						
2.0x1200x3600	x						
2.0x1500x3000	x						
2.0x1500x3600	x						
2.5x1200x2400	x	x	x		x		
2.5x1500x3000				x			
3.0x900x2400	x						
3.0x1200x2400	x	x	x	x	x	x	
3.0x1200x3000	x	x					
3.0x1200x3600	x						
3.0x1500x2400	x						
3.0x1500x3000	x	x			x		
3.0x1500x3600	x				x		
4x1200x2400	x						
4x1200x3600	x						
4x1500x3000							
5x1000x3658						x	
5x1200x2400	x				x		x
6x1200x2400	x				x		x
6x1500x3000	x				x		
8x1200x2400							x
10x1200x2400							x
12x1200x2400							x



Stainless Steel Angle

Specifications: ASTM A276 / A484M

Finishes: HRAP - Hot Rolled, Annealed & Pickled

Lengths: 6.0 metres



METRIC	THICKNESS	304	316
20 x 20	3mm	X	X
25 x 25	3mm	X	X
25 x 25	5mm	X	X
25 x 25	6mm		
30 x 30	3mm	X	X
30 x 30	5mm	X	X
30 x 30	6mm		X
40 x 40	3mm	X	X
40 x 40	5mm	X	X
40 x 40	6mm		
50 x 50	3mm	X	X
50 x 50	5mm	X	X
50 x 50	6mm	X	X
50 x 50	10mm		
65 x 65	6mm	X	X
65 x 65	10mm		
75 x 75	6mm	X	X
75 x 75	10mm	X	X
100 x 100	6mm	X	X
100 x 100	10mm		

Other sizes available upon request.

Stainless Steel Round Bar

Specifications: ASTM A276

Finishes: Cold Drawn ; P & R

Lengths: Standard 4.0 metres, Some sizes 6 metres



METRIC	IMPERIAL	304	316
3.18 mm	1/8"	X	X
3.96 mm	5/32"	X	X
4.00 mm		X	
4.76 mm	3/16"	X	X
5.00 mm		X	X
6.00 mm		X	X
6.35 mm	1/4"	X	X
7.94 mm	5/16"	X	X
8.00 mm		X	X
9.53 mm	3/8"	X	X
10.00 mm		X	X
11.11 mm	7/16"		X
12.00 mm		X	X
12.70 mm	1/2"	X	X
14.28 mm	9/16"		X
15.88 mm	5/8"	X	X
16.00 mm		X	X
19.05 mm	3/4"	X	X
20.00 mm		X	X
22.23 mm	7/8"	X	X
24.00 mm			
25.00 mm		X	X
25.40 mm	1"	X	X
28.58 mm	1-1/8"	X	X
30.00 mm		X	X
31.75 mm	1-1/4"	X	X
34.93 mm	1-3/8"	X	X
35.00 mm			
38.10 mm	1-1/2"	X	X
40.00 mm		X	X
44.45 mm	1-3/4"	X	X
50.00 mm		X	X
50.80 mm	2"	X	X

Other sizes available upon request.



Stainless Steel Flat Bar

Specifications: ASTM A276 / A484M

Finishes: HRAP / Slit Edge / Hairline (180 Grit)

Lengths: 4.0 metres or 6.0 metres



METRIC	304	316
12 x 3 mm	X	X
20 x 3 mm	X	X
25 x 3 mm	X	X
30 x 3 mm	X	X
40 x 3 mm	X	X
50 x 3 mm	X	X
65 x 3 mm		X
75 x 3 mm	X	X
100 x 3 mm	X	X
20 x 5 mm	X	X
25 x 5 mm	X	X
30 x 5 mm	X	X
40 x 5 mm	X	X
50 x 5 mm	X	X
65 x 5 mm	X	X
75 x 5 mm	X	X
100 x 5 mm	X	X
20 x 6 mm	X	X
25 x 6 mm	X	X
30 x 6 mm	X	X
40 x 6 mm	X	X
50 x 6 mm	X	X
65 x 6 mm	X	X
75 x 6 mm	X	X
100 x 6 mm	X	X
150 x 6 mm	X	X
40 x 8 mm	X	X
50 x 8 mm	X	X
75 x 8 mm	X	X
100 x 8 mm	X	X

Stainless Steel Flat Bar

Specifications: ASTM A276

Finishes: HRAP / Slit Edge / Hairline (180 Grit)

Lengths: 4.0 metres or 6.0 metres



METRIC	304	316
25 x 10 mm	X	X
30 x 10 mm	X	X
40 x 10 mm	X	X
50 x 10 mm	X	X
65 x 10 mm	X	X
75 x 10 mm	X	X
100 x 10 mm	X	X
150 x 10 mm	X	X
25 x 12 mm	X	X
40 x 12 mm	X	X
50 x 12 mm	X	X
65 x 12 mm	X	X
75 x 12 mm	X	X
100 x 12 mm	X	X
150 x 12 mm		
50 x 16 mm		
65 x 16 mm		
75 x 16 mm		
100 x 16 mm		
50 x 20 mm		
75 x 20 mm		
100 x 20 mm		
50 x 25 mm		
75 x 25 mm		
100 x 25 mm		

Other sizes available upon request.



Stainless Steel Square Bar

Specifications: ASTM A276 / A484M

Finishes: Cold Drawn

Lengths: Various



METRIC	304	316
6.00 mm		X
6.35mm		X
8.00 mm	X	
9.53 mm		X
10.00 mm	X	X
12.00 mm		X
12.70 mm		
16.00 mm		
19.05 mm		
20.00 mm		
25.00 mm		
25.40 mm		
32.00 mm		
40.00 mm		X
50.80 mm		

Other sizes available upon request.

Stainless Steel Pipe

Specifications: ASTM A312
Finishes: Welded or Seamless
Lengths: 6.0 or 6.1 metres



METRIC	IMPERIAL	SCH	ACTUAL SIZE	I.D	304 WELD	316 WELD
6 NB	1/8" NB	10	10.29 x 1.24	7.81		
		40	10.29 x 1.73	6.83		
8 NB	1/4" NB	10	13.7 x 1.65	10.4		×
		40	13.7 x 2.24	9.22		×
		80	13.7 x 3.02	7.66		
10 NB	3/8" NB	10	17.15 x 1.65	13.85	×	×
		40	17.15 x 2.3	12.55	×	×
		80	17.15 x 3.2	10.75		
15 NB	1/2" NB	10	21.34 x 2.11	17.12	×	×
		40	21.34 x 2.77	15.8	×	×
		80	21.34 x 3.73	13.88		×
20 NB	3/4" NB	10	26.67 x 2.11	22.45	×	×
		40	26.67 x 2.87	20.93	×	×
		80	26.67 x 3.91	18.85		×
25 NB	1" NB	10	33.4 x 2.77	27.86	×	×
		40	33.4 x 3.38	26.64	×	×
		80	33.4 x 4.55	24.3		×
32 NB	1-1/4" NB	10	42.16 x 2.77	36.62	×	×
		40	42.16 x 3.56	35.04	×	×
		80	42.16 x 4.85	32.46		×
40 NB	1-1/2" NB	10	48.26 x 2.77	42.72	×	×
		40	48.26 x 3.68	40.9	×	×
		80	48.26 x 5.08	38.1		×
50 NB	2" NB	10	60.32 x 2.77	54.78	×	×
		40	60.32 x 3.91	52.5	×	×
		80	60.32 x 5.54	49.26		×
65 NB	2-1/2" NB	10	73.02 x 3.05	66.92	×	×
		40	73.02 x 5.16	62.7	×	×
		80	73.02 x 7.01	59		×
80 NB	3" NB	10	88.9 x 3.05	82.8	×	×
		40	88.9 x 5.49	77.92	×	×
		80	88.9 x 7.62	73.66		×
90 NB	3-1/2" NB	10	101.6 x 3.05	95.5	×	×
		40	101.6 x 5.74	90.12	×	×
		80	101.6 x 7.62	85.44		×



Stainless Steel Pipe cont'd

Specifications: ASTM A312

Finishes: Welded or Seamless

Lengths: 6.0 or 6.1 metres



METRIC	IMPERIAL	SCH	ACTUAL SIZE	I.D	304 WELD	316 WELD
100 NB	4" NB	10	114.3 x 3.05	108.2	X	X
		40	114.3 x 6.02	102.26	X	X
		80	114.3 x 8.56	97.18		
125 NB	5" NB	10	141.3 x 3.40	134.5	X	X
		40	141.3 x 6.55	128.2		X
150 NB	6" NB	10	168.27 x 3.40	161.47	X	X
		40	168.27 x 7.11	154.05	X	X
200 NB	8" NB	10	219.07 x 3.76	211.55	X	X
		40	219.07 x 8.18	202.71	X	X
250 NB	10" NB	10	273.05 x 4.19	264.67		
		40	273.05 x 9.27	254.51		
300 NB	12" NB	10	323.85 x 4.57	314.71		
		40	323.85 x 9.53	304.79		
		80	26.67 x 3.91	18.85		

Larger sizes available upon request.

Buttweld Pipe Fittings

Specifications: ASTM A240/480
Fitting Types: 45 & 90 Deg Elbow
 Equal Tees / Caps
Grade: 304 and 316
Schedule: SCH 10 & 40



METRIC	IMPERIAL
15 NB	1/2" NB
20 NB	3/4" NB
25 NB	1" NB
32 NB	1-1/4" NB
40 NB	1-1/2" NB
50 NB	2" NB
65 NB	2-1/2" NB
80 NB	3" NB
100 NB	4" NB
125 NB	5" NB
150 NB	6" NB
200 NB	8" NB
250 NB	10" NB

Buttweld Pipe Reducers

Specifications: ASTM A240/480
Fitting Types: Concentric Reducer
 Eccentric Reducer
Grade: 304 and 316
Schedule: SCH 10 & 40



METRIC	IMPERIAL
20 x 15	3/4" x 1/2"
25 x 15	1" x 1/2"
25 x 20	1" x 3/4"
32 x 25	1-1/4" x 1"
40 x 32	1-1/2" x 1-1/4"
50 x 25	2" x 1"
50 x 40	2" x 1-1/2"
65 x 40	2-1/2" x 1-1/2"
65 x 50	2-1/2" x 2"
80 x 40	3" x 1-1/2"
80 x 50	3" x 2"
80 x 65	3" x 2-1/2"
100 x 50	4" x 2"
100 x 65	4" x 2-1/2"
100 x 80	4" x 3"
150 x 80	6" x 3"
150 x 100	6" x 4"
200 x 100	8" x 4"
200 x 150	8" x 6"
300 x 200	12" x 8"

Stainless Steel BSP Fittings

Specifications: ASTM A351/312 ANSI B 2.1

Types: See pictures on page

Grade: 316 ONLY

METRIC	IMPERIAL
6	1/8"
8	1/4"
10	3/8"
15	1/2"
20	3/4"
25	1"
32	1-1/4"
40	1-1/2"
50	2"
65	2-1/2"
80	3"
100	4"



**FEMALE ELBOW
45 & 90 DEG**



**MALE/FEMALE
ELBOW**



FEMALE CROSS



FEMALE TEE



TBE NIPPLE



ALL THREAD



TOE NIPPLE



HEX CAP



HEX HEAD PLUG



HEX NIPPLE



SOCKET



3 PIECE UNION



HOSETAIL

Stainless Steel BSP Fittings

Specifications: ASTM A351/312 ANSI B 2.1

Types: See pictures on page

Grade: 316 ONLY

METRIC	IMPERIAL
8 × 6	1/4" × 1/8"
10 × 6	3/8" × 1/8"
10 × 8	3/8" × 1/4"
15 × 6	1/2" × 1/8"
15 × 8	1/2" × 1/4"
15 × 10	1/2" × 3/8"
20 × 8	3/4" × 1/4"
20 × 10	3/4" × 3/8"
20 × 15	3/4" × 1/2"
25 × 15	1" × 1/2"
25 × 20	1" × 3/4"
32 × 20	1-1/4" × 3/4"
32 × 25	1-1/4" × 1"
40 × 20	1-1/2" × 3/4"
40 × 25	1-1/2" × 1"
40 × 32	1-1/2" × 1-1/4"
50 × 25	2" × 1"
50 × 32	2" × 1-1/4"
50 × 40	2" × 1-1/2"
65 × 50	2-1/2" × 2"
80 × 50	3" × 2"
80 × 65	3" × 2-1/2"
100 × 80	4" × 3"



REDUCING BUSH



REDUCING NIPPLE



REDUCING SOCKET

Stainless Steel Ball Valves

Materials: Body, Ball & Stem - 316 Grade
 Seat & Seat - PTFE
 Handle - 304 Grade 1, 2 & 3 Pce - 1000 PSI
 Water, Oil & Gas



SIZES		CONFIGURATION		
METRIC	IMPERIAL	1 PCE RED BORE	2 PCE RED BORE	3 PCE RED BORE
6 NB	1/8" NB	X	X	X
8 NB	1/4" NB	X	X	X
10 NB	3/8" NB	X	X	X
15 NB	1/2" NB	X	X	X
20 NB	3/4" NB	X	X	X
25 NB	1" NB	X	X	X
32 NB	1-1/4" NB	X	X	X
40 NB	1-1/2" NB	X	X	X
50 NB	2" NB	X	X	X
65 NB	2-1/2" NB	POA	POA	X
80 NB	3" NB	POA	POA	X
100 NB	4" NB		POA	POA

Stainless Steel Industrial Valves

Materials: Swing Check
 Body, Cap, Disc & Plug - 316 Grade
 Y Strainer
 Body & Cap - 316 Grade
 Seat & Seal - PTFE



SIZES		SWING CHECK	Y STRAINER
METRIC	IMPERIAL	FEM BSP 200 PSI	FEM BSP 45 DEG
15 NB	1/2" NB	X	X
20 NB	3/4" NB	X	X
25 NB	1" NB	X	X
40 NB	1-1/2" NB	X	X
50 NB	2" NB	X	X

Stainless Steel Pipe Flanges

Specifications: AS 2129

Finishes: Slip On or Blind - Gramophone Face

Grade: 304 or 316



PIPE SIZE		TABLE D/E			
METRIC	IMPERIAL	SLIP ON 316	SLIP ON 304	BLIND 316	SLIP ON 316
15 NB	1/2" NB	X		X	X
20 NB	3/4" NB	X		X	X
25 NB	1" NB	X	X	X	X
32 NB	1-1/4" NB	X	X	X	X
40 NB	1-1/2" NB	X	X	X	X
50 NB	2" NB	X	X	X	X
65 NB	2-1/2" NB	X	X	X	X
80 NB	3" NB	X	X	X	X
100 NB	4" NB	X	X	X	X
125 NB	5" NB	X	X	X	X
150 NB	6" NB	X	X	X	X
200 NB	8" NB	X	X	X	X
250 NB	10" NB	X			
300 NB	12" NB	X			

Stainless Steel Tube Flanges

Specifications: AS 2129

Finishes: Slip On - Gramophone Face

Grade: 304 or 316 grade

TUBE SIZE		TABLE D/E	
METRIC	IMPERIAL	SLIP ON 316	SLIP ON 304
12.7mm	1/2"	X	
19.05mm	3/4"	X	X
25.4mm	1"	X	X
31.75mm	1-1/4"	X	X
38.1mm	1-1/2"	X	X
50.8mm	2"	X	X
63.5mm	2-1/2"	X	X
76.2mm	3"	X	X
101.6mm	4"	X	X
127mm	5"	X	X
152.4mm	6"	X	X
203.2mm	8"	X	X



Stainless Steel Square Tube

Specifications: ASTM A554

Finishes: 180 Grit / 400 Grit Hipol / Mirror

Lengths: 6.0 metres



METRIC	304	316
10.0 x 10.0 x 1.2 mm	X	
12.7 x 12.7 x 1.2 mm	X	X
12.7 x 12.7 x 1.6 mm	X	
15.0 x 15.0 x 1.2 mm	X	
15.0 x 15.0 x 1.5 mm	X	
19.05 x 19.05 x 1.2 mm	X	X
19.05 x 19.05 x 1.6 mm	X	X
22.22 x 22.22 x 1.2 mm	X	
25.4 x 25.4 x 1.2 mm	X	
25.4 x 25.4 x 1.6 mm	X	X
25.4 x 25.4 x 2.0 mm	X	
25.4 x 25.4 x 3.0 mm	X	X
31.75 x 31.75 x 1.2 mm	X	
31.75 x 31.75 x 1.6 mm	X	X
31.75 x 31.75 x 2.0 mm	X	
31.75 x 31.75 x 3.0 mm	X	X
38.1 x 38.1 x 1.2 mm	X	
38.1 x 38.1 x 1.6 mm	X	X
38.1 x 38.1 x 2.0 mm	X	
38.1 x 38.1 x 3.0 mm	X	X
50.8 x 50.8 x 1.2 mm	X	
50.8 x 50.8 x 1.6 mm	X	X
50.8 x 50.8 x 2.0 mm	X	X
50.8 x 50.8 x 3.0 mm	X	X
60.0 x 60.0 x 3.0 mm	X	X
80.0 x 80.0 x 2.0 mm	X	
80.0 x 80.0 x 3.0 mm	X	X
100.0 x 100.0 x 3.0 mm	X	X
100.0 x 100.0 x 5.0 mm	X	X
150.0 x 150.0 x 5.0 mm		

Stainless Steel Rectangular Tube

Specifications: ASTM A554

Finishes: 180 Grit / 400 Grit Hipol / Mirror

Lengths: 6.0 metres



METRIC	304 180#	316 180#	316 HIPOL	MIRROR
20.0 x 10.0 x 1.2mm	X			
30.0 x 10.0 x 1.6 mm	X			
30.0 x 15.0 x 1.6 mm	X			
30.0 x 20.0 x 1.6 mm	X			
40.0 x 10.0 x 1.2 mm	X			
40.0 x 20.0 x 1.2 mm	X			
40.0 x 20.0 x 1.6 mm	X	X		
50.0 x 10.0 x 1.6 mm	X	X	X	X
50.8 x 25.4 x 1.2 mm	X			
50.8 x 25.4 x 1.6 mm	X	X	X	X
50.8 x 25.4 x 3.0 mm	X	X	X	
50.0 x 30.0 x 1.6 mm	X			
60.0 x 30.0 x 3.0 mm	X			
60.0 x 40.0 x 1.6 mm	X	X		
60.0 x 40.0 x 3.0 mm	X	X		
75.0 x 10.0 x 1.6 mm		X		
76.2 x 25.4 x 1.6 mm	X	X		
80.0 x 40.0 x 1.6 mm	X	X		
80.0 x 40.0 x 3.0 mm	X	X		
100 x 50.0 x 2.0 mm	X			
100 x 50.0 x 3.0 mm	X	X		
100 x 50.0 x 5.0 mm	X	X		
150 x 100 x 5.0 mm	X			
200 x 100 x 5.0 mm				




Stainless Steel Welded Round Tube

Specifications: ASTM A554 / ASTM A51528

Finishes: 320 Grit / 600 Grit Hipol / Mirror

Lengths: 6.0 metres



METRIC	304	316	MIRROR
9.53 x 1.2 mm	X	X	
9.53 x 1.6 mm	X	X	
12.7 x 0.9 mm	X		
12.7 x 1.2 mm	X	X	
12.7 x 1.6 mm	X	X	
15.88 x 0.9 mm	X		
15.88 x 1.2 mm	X	X	
15.88 x 1.6 mm	X	X	
19.05 x 0.9 mm	X		
19.05 x 1.2 mm	X	X	
19.05 x 1.6 mm	X	X	X
19.05 x 2.0 mm		X	
22.23 x 1.2 mm	X	X	
22.23 x 1.6 mm	X	X	X
25.4 x 0.9 mm	X		
25.4 x 1.2 mm	X	X	X
25.4 x 1.6 mm	X	X	X
25.4 x 2.0 mm	X	X	
25.4 x 3.0 mm	X	X	
28.58 x 1.2 mm	X	X	
28.58 x 1.6 mm	X	X	
31.75 x 0.9 mm	X		
31.75 x 1.2 mm	X	X	
31.75 x 1.6 mm	X	X	X
31.75 x 2.0 mm	X	X	
31.75 x 3.0 mm	X	X	
34.93 x 1.2 mm	X		
34.93 x 1.6 mm	X		
38.1 x 0.9 mm	X		
38.1 x 1.2 mm	X	X	
38.1 x 1.6 mm	X	X	X
38.1 x 2.0 mm		X	
38.1 x 3.0 mm	X	X	
41.3 x 1.2 mm	X		
41.3 x 1.6 mm	X		
44.4 x 1.2 mm	X		

Stainless Steel Welded Round Tube cont'd

Specifications: ASTM A554 / ASTM A51528

Finishes: 320 Grit / 600 Grit Hipol / Mirror

Lengths: 6.0 metres



METRIC	304	316	MIRROR
44.4 x 1.6 mm	X	X	
50.8 x 0.9 mm	X		
50.8 x 1.2 mm	X	X	
50.8 x 1.6 mm	X	X	X
50.8 x 2.0 mm	X	X	
50.8 x 3.0 mm	X	X	
54.0 x 1.2 mm	X		
57.15 x 1.6 mm	X		
60.0 x 1.5 mm	X		
63.5 x 1.2 mm	X	X	
63.5 x 1.6 mm	X	X	X
63.5 x 2.0 mm		X	
63.5 x 3.0 mm		X	
70.0 x 1.6 mm	X		
76.2 x 1.2 mm	X		
76.2 x 1.6 mm	X	X	X
76.2 x 2.0 mm		X	
76.2 x 3.0 mm		X	
88.9 x 1.6 mm	X	X	
101.6 x 1.6 mm	X	X	
101.6 x 2.0 mm		X	
127.0 x 1.6 mm	X	X	
152.4 x 1.6 mm	X	X	X
152.4 x 2.0 mm	X	X	
203.2 x 2.0mm	X	X	



Stainless Steel Seamless Round Tube

Specifications: ASTM A269

Grade: 316 Only

Finishes: Cold Drawn Annealed - Unpolished

Lengths: 6.0 metres



METRIC
3.18 x 0.9 mm
4.76 x 0.9 mm
6.35 x 0.9 mm
6.35 x 1.2 mm
6.35 x 1.6 mm
7.94 x 0.9 mm
7.94 x 1.2 mm
7.94 x 1.6 mm
9.53 x 0.9 mm
9.53 x 1.2 mm
9.53 x 1.6 mm
12.7 x 0.9 mm
12.7 x 1.2 mm
12.7 x 1.6 mm
15.88 x 1.6 mm
19.05 x 1.6 mm
25.4 x 1.6 mm

Stainless Steel Hypo Tube

Specifications: Hard Drawn Needle Drawn - 304 Grade Only

Finishes: N/A

Lengths: 2.0 metres



METRIC	IMPERIAL	304
0.40 x 0.09 mm	0.016" x 0.0035"	X
0.45 x 0.10 mm	0.018" x 0.004"	X
0.50 x 0.15 mm	0.020" x 0.006"	X
0.60 x 0.15 mm	0.024" x 0.006"	X
0.70 x 0.15 mm	0.028" x 0.006"	X
0.80 x 0.15 mm	0.032" x 0.006"	X
1.0 x 0.2 mm	0.039" x 0.008"	X
1.2 x 0.2 mm	0.047" x 0.008"	X
1.4 x 0.2 mm	0.055" x 0.008"	X
1.6 x 0.23 mm	0.063" x 0.009"	X
1.8 x 0.15 mm	0.071" x 0.006"	X
2.0 x 0.25mm	0.078" x 0.010"	X
2.2 x 0.25 mm	0.087" x 0.010"	X
2.5 x 0.25 mm	0.098" x 0.010"	X
2.8 x 0.23 mm	0.110" x 0.009"	X
3.0 x 0.25 mm	0.118" x 0.010"	X
4.0 x 0.25 mm	0.157" x 0.010"	X
4.5 x 0.25 mm	0.178" x 0.010"	X
5.0 x 0.25 mm	0.198" x 0.010"	X
6.0 x 0.25 mm	0.237" x 0.010"	X



Stainless Steel Tube Fittings

Specifications: AS 1528 (Bend Radius = 1.5 x Dia.)

Fitting Types: 45 Deg/90 Deg/180 Deg (Up To 4") Bends
Equal Tee/Y Piece/Cross/Dome Cap

Grade: 304 and 316

Finishes: Polished (Unpolished in Some Sizes)



SIZES	
METRIC	IMPERIAL
12.7 x 1.6	1/2" x 16g
19.05 x 1.6	3/4" x 16g
25.4 x 1.6	1" x 16g
31.75 x 1.6	1-1/4" x 16g
38.1 x 1.6	1-1/2" x 16g
44.45 x 1.6	1-3/4" x 16g
50.8 x 1.6	2" x 16g
63.5 x 1.6	2-1/2" x 16g
76.2 x 1.6	3" x 16g
88.9 x 1.6	3-1/2" x 16g
101.6 x 1.6	4" x 16g
127.0 x 1.6	5" x 16g
152.4 x 1.6	6" x 16g
152.4 x 2.0	6" x 14g
203.2 x 2.0	8" x 14g
254 x 2.0	10" x 14g



TUBE BENDS



TUBE TEE



TUBE Y PIECE



TUBE CROSS

Stainless Steel Tube Reducers

Specifications: AS 1528 (Weld On)

Fitting Types: Concentric Reducer
Eccentric Reducer

Grade: 316 Only

Finishes: Polished



METRIC	IMPERIAL
9.53 x 6.35	3/8" x 1/4"
12.7 x 6.35	1/2" x 1/4"
12.7 x 9.53	1/2" x 3/8"
19.05 x 12.7	3/4" x 1/2"
25.4 x 12.7	1" x 1/2"
25.4 x 19.05	1" x 3/4"
31.75 x 12.7	1-1/4" x 1/2"
38.1 x 12.7	1-1/2" x 1/2"
38.1 x 19.05	1-1/2" x 3/4"
38.1 x 25.4	1-1/2" x 1"
38.1 x 31.75	1-1/2" x 1-1/4"
50.8 x 12.7	2" x 1/2"
50.8 x 19.05	2" x 3/4"
50.8 x 25.4	2" x 1"
50.8 x 31.75	2" x 1-1/4"
50.8 x 38.1	2" x 1-1/2"
63.5 x 25.4	2-1/2" x 1"
63.5 x 38.1	2-1/2" x 1-1/2"
63.5 x 50.8	2-1/2" x 2"
76.2 x 31.75	3" x 1-1/4"
76.2 x 38.1	3" x 1-1/2"
76.2 x 50.8	3" x 2"
76.2 x 63.5	3" x 2-1/2"

METRIC	IMPERIAL
101.6 x 25.4	4" x 1"
101.6 x 38.1	4" x 1-1/2"
101.6 x 50.8	4" x 2"
101.6 x 63.5	4" x 2-1/2"
101.6 x 76.2	4" x 3"
127 x 38.1	5" x 1-1/2"
127 x 50.8	5" x 2"
127 x 63.5	5" x 2-1/2"
127 x 76.2	5" x 3"
127 x 101.6	5" x 4"
152.4 x 25.4	6" x 1"
152.4 x 38.1	6" x 1-1/2"
152.4 x 50.8	6" x 2"
152.4 x 63.5	6" x 2-1/2"
152.4 x 76.2	6" x 3"
152.4 x 101.6	6" x 4"
152.4 x 127	6" x 5"
203.2 x 50.8	8" x 2"
203.2 x 76.1	8" x 3"
203.2 x 101.6	8" x 4"
203.2 x 127	8" x 5"
203.2 x 152.4	8" x 6"
LARGER SIZES AVAILABLE UPON REQUEST	

Stainless Steel BSM & Flat Face Fittings

Specifications: ASTM A312

Type: Weld On

Grade: 316 Only



TYPE	25 mm	38 mm	50 mm	65 mm	75 mm	100 mm	125mm	150 mm
BSM HEX NUT	X	X	X	X	X	X	X	X
BSM PLAIN LINER	X	X	X	X	X	X		X
BSM MALE PART	X	X	X	X	X	X		X
BSM EPDM O RING	X	X	X	X	X	X		X
BSM TEFLON O RING	X	X	X	X	X	X		X
BSM SILICON O RING								
FLAT FACE LINER	X	X	X	X	X	X	X	
FLAT FACE MALE PART	X	X	X	X	X	X	X	
FLAT FACE EPDM SEAL	X	X	X	X	X	X	X	
FLAT FACE TEFLON SEAL	X	X	X	X	X	X		
BLANK CAP	X	X	X	X	X	X		
BLANK NUT	X	X	X	X	X	X		
ALUMINIUM SPANNER								

SIZES 12mm & 19mm AVAILABLE - HYGIENIC COMPLETE UNION



HEX BLANKING NUT



BLANK CAP



ALUMINIUM SPANNER



ROLLED HOSETAIL



BSM UNION featuring Round Nut, Optical Seals including Silicone, EPDM, Teflon and Viton. CIP Modified Seal also available for BSM Fittings.

Stainless Steel Triclover Fittings

Specifications: AS 1528

Type: Weld On

Grade: Ferrule Type 316, Clamp Type 304



PARTS	12.7	19.05	25.4	31.8	38.1	50.8	63.5	76.2	101.6	152.4
CLAMP BODY	X	X	X	X	X	X	X	X	X	X
SHORT FERRULE	X	X	X	X	X	X	X	X	X	X
LONG FERRULE	X	X	X	X	X	X	X	X	X	X
BLANK CAP	X	X	X	X	X	X	X	X	X	X
SEAL - EPDM	X	X	X	X	X	X	X	X	X	X
SEAL - VITON	X	X	X	X	X	X				
SEAL - TEFLON	X	X	X	X	X	X				

Stainless Steel Expansion Flanges

Grade: 304 Only


METRIC	IMPERIAL
19.05 mm	3/4"
25.4 mm	1"
31.75 mm	1-1/4"
38.1 mm	1-1/2"
50.8 mm	2"
63.5 mm	2-1/2"
76.2 mm	3"
101.6 mm	4"
152 mm	6"



Stainless Steel Base Plates & Cover Sets

Grade: 304 (Base Plates)
316 (Covers)


SIZE / BASE OD	BASE THK / COVER FINISH
12.7 x 65 mm	2.0 mm / Satin
19.05 x 65 mm	2.0 mm / Satin
25.4 x 65 mm	2.0 mm / Satin
31.75 x 80 mm	2.0 mm / Satin
38.1 x 80 mm	2.0 mm / Satin
50.8 x 100 mm	3 mm / Satin
50.8 x 100 mm	3 mm / Mirror
63.5 x 115 mm	3 mm / Satin
76.2 x 115 mm	6 mm / Satin



Stainless Steel Tube Covers

Grade: 316 Only
Finish: Satin / Mirror

METRIC	IMPERIAL
79mm OD x 38mm ID	3" OD x 1-1/2" ID
101 mm OD x 52 mm ID	4" OD x 2" ID



Stainless Steel Adjustable Feet & Inserts

Finishes: Foot Grade 304 / Inserts Nylon



BASE DIA.	STEM DIA.	STEM LTH	SQUARE PLASTIC INSERT SIZES	ROUND OR SQUARE PLASTIC CAPS
38 mm	M12	70 mm	25.4 / 31.75 / 38.1 / 50.8 mm	25.4 / 31.75 / 38.1 / 50.8 mm
50 mm	M16	70 mm	25.4 / 31.75 / 38.1 / 50.8 mm	25.4 / 31.75 / 38.1 / 50.8 mm
50 mm	M16	105 mm	25.4 / 31.75 / 38.1 / 50.8 mm	25.4 / 31.75 / 38.1 / 50.8 mm
65 mm	M16	70 mm	25.4 / 31.75 / 38.1 / 50.8 mm	25.4 / 31.75 / 38.1 / 50.8 mm
65 mm	M16	105 mm	25.4 / 31.75 / 38.1 / 50.8 mm	25.4 / 31.75 / 38.1 / 50.8 mm

Stainless Steel Tube & Pipe Clamps

Finishes: 304 Grade (316 Grade On Request)



METRIC	IMPERIAL	TUBE & PIPE CLAMP STYLES
12.7 mm	1/2"	Double bolted / plain hinged / bossed / saddle / long tangent
19.05 mm	3/4"	Double bolted / plain hinged / bossed / saddle / long tangent
25.4 mm	1"	Double bolted / plain hinged / bossed / saddle / long tangent
31.75 mm	1-1/4"	Double bolted / plain hinged / bossed / saddle / long tangent
38.1 mm	1-1/2"	Double bolted / plain hinged / bossed / saddle / long tangent
50.8 mm	2"	Double bolted / plain hinged / bossed / saddle / long tangent
63.5 mm	2-1/2"	Double bolted / plain hinged / bossed / saddle / long tangent
76.2 mm	3"	Double bolted / plain hinged / bossed / saddle / long tangent
101.6 mm	4"	Double bolted / plain hinged / bossed / saddle / long tangent
127 mm	5"	Double bolted
152.4 mm	6"	Double bolted





Stainless Steel Discs

Specifications: ASTM A240/480
Grade: 316 2B



METRIC	THICKNESS
20 mm	3 mm
25 mm	3 mm
32 mm	3 mm
38 mm	3 mm
40 mm	3 mm/5 mm
44 mm	3 mm
51 mm	3 mm/5 mm/6 mm
57 mm	3 mm
60 mm	3 mm
64 mm	3 mm
65 mm	3 mm/5 mm/6 mm
75 mm	3 mm/5 mm/6 mm
80 mm	3 mm
90 mm	3 mm
100 mm	3 mm/5 mm/6 mm
114 mm	3 mm
125 mm	3 mm/5 mm/6 mm
142 mm	3 mm
150 mm	3 mm/5 mm/6 mm
170 mm	3 mm
200 mm	3 mm/5 mm/6 mm
219 mm	3 mm

Stainless Steel Circles

Specifications: ASTM A240/480
Grade: 316 2B




METRIC	THICKNESS
50 OD x 20 ID x 3 mm	2" OD x 3/4" ID x 1/8"
65 OD x 26 ID x 3 mm	2-1/2" OD x 1" ID x 1/8"
65 OD x 32 ID x 3 mm	2-1/2" OD x 1-1/4" ID x 1/8"
75 OD x 26 ID x 3 mm	3" OD x 1" ID x 1/8"
75 OD x 32 ID x 3 mm	3" OD x 1-1/4" ID x 1/8"
75 OD x 39 ID x 3 mm	3" OD x 1-1/2" ID x 1/8"
75 OD x 51 ID x 3 mm	3" OD x 2" ID x 1/8"
100 OD x 39 ID x 3 mm	4" OD x 1-1/2" ID x 1/8"
100 OD x 51 ID x 3 mm	4" OD x 1" ID x 1/8"
100 OD x 51 ID x 5mm	4" OD x 1" ID x 3/16"
100 OD x 65 ID x 3 mm	4" OD x 2-1/2" ID x 1/8"
100 OD x 77 ID x 3 mm	4" OD x 3" ID x 1/8"
125 OD x 39 ID x 5 mm	5" OD x 1-1/2" ID x 3/16"
125 OD x 51 ID x 6 mm	5" OD x 2" ID x 1/4"
125 OD x 77 ID x 3 mm	5" OD x 3" ID x 1/8"
150 OD x 77 ID x 6 mm	6" OD x 3" ID x 1/4"
150 OD x 102 ID x 3 mm	6" OD x 4" ID x 1/8"
200 OD x 102 ID x 3 mm	8" OD x 4" ID x 1/8"
300 OD x 150 ID x 3 mm	12" OD x 6" ID x 1/8"

Heavy Duty End Cap

Grade: 316

Finish: Self Grip into Tube

CODE	TUBE SIZE	B	H	WEIGHT	POLISH
TS1517A	38.1 X 1.5mm	38.1	2.5	60 grams	HI POL
TFCP038	38.1 X 1.5mm	38.1	2.5	60 grams	SATIN
TS2017A	50.8 X 1.5mm	50.8	2.5	80 grams	HI POL
TFCP050	50.8 X 1.5mm	50.8	2.5	80 grams	SATIN




Dome End Cap

Grade: 316

Finish: Highly Polished

CODE	TUBE SIZE	B	H
TS1018A	25.4 x 1.5mm	25.4	13
TS1518A	38.1 x 1.5mm	38.1	19
TS2018A	50.8 x 1.5mm	50.8	25




Dome Cap - Weld On

Grade: 316

Finish: Satin Polished

CODE	TUBE SIZE	B	H	TH
TFCD01916	19.05 x 1.5mm	19.05	10	1.5
TKCD02516	25.4 x 1.5mm	25.4	13	1.5
TFCD03216	31.75 x 1.5mm	31.75	16	1.5
TFCD03816	38.1 x 1.5mm	38.1	20	1.5
TFCD05016	50.8 x 1.5mm	50.8	25	1.5
TFCD06516	65.3 x 1.5mm	65.3	32	1.5
TFCD07516	75.6 x 1.5mm	75.6	38	1.5
TFCD10016	101.6 x 1.5mm	101.6	51	1.5




Dome Top Post Reducer

Grade: 316

Finish: Highly Polished

CODE	TUBE SIZE	A	B	H
TS2012A	50.8 x 1.5mm	25.4	50.8	87




Tapered Post Reducer

Grade: 316

Finish: Highly Polished

CODE	TUBE SIZE	D	B	H
TS2020A	50.8 x 1.5mm	25.4	50.8	81




Flat Top Post Reducer

Grade: 316

Finish: Highly Polished

CODE	TUBE SIZE	A	B	H
TS2022A	50.8 x 1.5mm	25.4	50.8	81




Rail Convertor "Knock In"

Grade: 316

Finish: Mirror or Satin Finish

CODE	TUBE SIZE	A	B	H
TSRC050M	50.8 x 1.5mm	25.4	50.8	81
TSRC050S	50.8 x 1.5mm	25.4	50.8	81




Perpendicular Joiner Through Ring

Grade: 316

Finish: Highly Polished

CODE	TUBE SIZE	B	C	H
TS2013A	50.8 x 1.5mm	50.8	50.8	89




Handrail Supports “Flat Base”

Grade: 316

Finish: Highly Polished

CODE	A	B	C	D	I
TS2029A	63	85	33	12	6.0




Handrail Supports “Radiused”

Grade: 316

Finish: Highly Polished

CODE	A	B	C	D	I	R
TS1528A	63	85	31	12	6.0	38.1
TS2028A	63	85	31	12	6.0	50.8




Handrail Support with Coach Screw “Radiused”

Grade: 316

Finish: Highly Polished

CODE	A	B	C	D	L	R
TS1528A-S	63	85	31	12	60	38.1
TS2028A-S	63	85	31	12	60	50.8




Handrail Support with Coach Screw “Flat Base”

Grade: 316

Finish: Highly Polished

CODE	A	B	C	D	L
TS2029A-S	63	85	33	12	60





Handrail Support without Radiused Top

Grade: 316

Finish: Highly Polished

CODE	A	B	D	I
TS2028A-B	63	85	12	6.0





Notes

Disclaimer

The technical data contained within this publication should not be relied on for specific applications without first seeking qualified advice. While Australian Stainless Distributors Pty Ltd strive to make sure that all care is taken to ensure that the data within this catalogue is errorless and up to date, the company does not warrant its correctness or completeness and does not accept any liability for errors or omissions.



The technical data contained within this publication should not be relied on for specific applications without first seeking qualified advice. While Australian Stainless Distributors Pty Ltd strive to make sure that all care is taken to ensure that the data within this catalogue is errorless and up to date, the company does not warrant its correctness or completeness and does not accept any liability for errors or omissions.